

Fig. 2



```
List Item Renderer Object

102

public interface ItemRenderer {

/* sets the data to render */
public void SetData (Object data);

/* gets the data being rendered */
public Object getData ();

/* sets the visibility state */
public void setVisible (boolean visible);

/* gets the visibility state */
public boolean isVisible ();

/* gets the component to which data is rendered */
public java.awt.Component getRenderComponent ();
}
```

Fig. 3






Fig. 4



					Ĭ	
Mail Center				2:44 PM		
Folder NBOX	Δ	beduin:actor.canada.sun.com	anada.sun.c	mo:		
X≡ Ralf Krauklis	joojjjjjj		Mo	Mon, Nov 8, 7:33PM	0.8KB	
X≡ Ralf Krauklis	įdiįdiį		MG	Mon, Nov 8, 7:39PM	0.8KB	
X≡ Ralf Krauklis	di[di[di[Mc	Mon, Nov 8, 7:40PM	0.8KB	
X≡ Ralf Krauklis	ioiopipi		Mc	Mon, Nov 8, 7:41PM	0.8KB	
X≡ Ralf Krauklis	Test zip protocol	ol.	Fri	Fri, Nov 12, 6:07PM	0.9KB	
X≡ Ralf Krauklis	+0aå <u>c</u>		ye	yesterday, 3:00PM	0.9KB	
X≡ Ralf Krauklis	n9n80in		ye	yesterday, 3:01PM	0.8KB	
X≡ beduin	aâceeei		yes	yesterday, 3:20PM	0.7KB	
10 total 5 unread		Up	Down			
Get New	Folder	Prefs	Filter	Delete All	Switch	EX

Fig. 5






Fig. 6






Fig. 7

,